



PHONES

0 (800) 800 130
(050) 462 0 130
(063) 462 0 130
(067) 462 0 130

130
COM.UA

Internet store of
autogoods



SKYPE

km-130

CAR RECEIVERS — Receivers • Media receivers and stations • Native receivers • CD/DVD changers • FM-modulators/USB adapters • Flash memory • Facia plates and adapters • Antennas • Accessories |
 CAR AUDIO — Car audio speakers • Amplifiers • Subwoofers • Processors • Crossovers • Headphones • Accessories | TRIP COMPUTERS — Universal computers • Model computers • Accessories |
 GPS NAVIGATORS — Portable GPS • Built-in GPS • GPS modules • GPS trackers • Antennas for GPS navigators • Accessories | VIDEO — DVR • TV sets and monitors • Car TV tuners • Cameras • Videomodules
 • Transcoders • Car TV antennas • Accessories | SECURITY SYSTEMS — Car alarms • Bike alarms • Mechanical blockers • Immobilizers • Sensors • Accessories | OPTIC AND LIGHT — Xenon • Bixenon • Lamps
 • LED • Stroboscopes • Optic and Headlights • Washers • Light, rain sensors • Accessories | PARKTRONICS AND MIRRORS — Rear parktronic • Front parktronic • Combined parktronic • Rear-view mirrors
 • Accessories | HEATING AND COOLING — Seat heaters • Mirrors heaters • Screen-wipers heaters • Engine heaters • Auto-refrigerators • Air conditioning units • Accessories | TUNING — Vibro-isolation
 • Noise-isolation • Tint films • Accessories | ACCESSORIES — Radar-detectors • Handsfree, Bluetooth • Windowlifters • Compressors • Beeps, loudspeakers • Measuring instruments • Cleaners • Carsits
 • Miscellaneous | MOUNTING — Installation kits • Upholstery • Grilles • Tubes • Cable and wire • Tools • Miscellaneous | POWER — Batteries • Converters • Start-charging equipment • Capacitors
 • Accessories | MARINE AUDIO AND ELECTRONICS — Marine receivers • Marine audio speakers • Marine subwoofers • Marine amplifiers • Accessories | CAR CARE PRODUCTS — Additives • Washer fluid •
 Care accessories • Car polish • Flavors • Adhesives and sealants | LIQUID AND OIL — Motor oil • Transmission oil • Brake fluid • Antifreeze • Technical lubricant



In store "130" you can find and buy almost all necessary goods for your auto in Kyiv and other cities, delivery by ground and postal services. Our experienced consultants will provide you with exhaustive information and help you to chose the very particular thing. We are waiting for you at the address

<https://130.com.ua>

Garantie- und Gewährleistungsbestimmungen

Die Gewährleistung entspricht der gesetzlichen Regelung. Eine Rücksendung kann nur nach vorheriger Absprache und in der Originalverpackung erfolgen. Bitte unbedingt einen maschinell erstellten Kaufbeleg und eine Fehlerbeschreibung beilegen. Von der Gewährleistung ausgeschlossen sind Defekte, die durch Überlastung, unsachgemäße Behandlung oder bei Teilnahme an Wettbewerben entstanden sind. Wir behalten uns das Recht vor, zukünftig nötige Änderungen oder Verbesserungen an dem Produkt vorzunehmen ohne den Kunden darüber zu informieren.

Terms of warranty

The limited warranty for this product is covered by Ground Zero 's local distribution partners and their terms and conditions. For further information contact your local retailer or distributor.

Ground Zero GmbH

Erlenweg 25, 85658 Egming, Germany

Tel. +49 (0)8095/873 830 Fax -8310

www.ground-zero-audio.com



TITANIUM-SERIES

COMPONENT SYSTEM

Anleitung / Owner's manual

GZTC 130

Spezifikationen / specifications

- Hochwertiges 2-Wege Komponentensystem
- Klippel® optimierter 3 Ohm Tief-Mitteltöner mit HQPP-Struktur Membrane
- Resonanzarmer Stahlkorb
- 19 mm Seidenkalotten-Hochtöner mit Einbauzubehör
- Kompakte 12 dB/Okt. Hochtön-Frequenzweiche
- 6 dB/Okt. Tieftön-Frequenzweiche direkt am Tief-/Mitteltöner

- *High quality 2-way component system*
- *Klippel® optimized 3 Ohm midwoofer with HQPP-Structure cone*
- *Resonance free steel basket*
- *0.75" silk dome tweeter with mounting accessories*
- *Compact 12 dB/oct. tweeter high pass crossover*
- *6 dB/oct. low pass crossover attached to the midwoofer*


Spezifikationen / Specifications

Model	GZTC 130	
Impedanz / Impedance	3 Ohm	
Frequenzgang / Frequency response	60 Hz – 22 kHz	
Trennfrequenz / Cut-off frequency	5500 Hz (12 / 6 dB/Okt./oct)	
SPL 1W/1M	88.5 dB	
Power Watt RMS	80	
Power Watt Maximum	130	
	Tiefmitteltöner / Midwoofer	Hochtöner / Tweeter
Aussendurchmesser / Outer diameter	130 mm / 5.12"	37 mm / 1.46"
Einbaudurchmesser / Mounting diameter	117.5 mm / 5.61"	37 mm / 1.46"
Einbautiefe / Mounting depth	61 mm / 2.40"	18 mm / 0.71"

Funktion der Jumper in der Frequenzweiche / function of the crossover jumper

Hochton-Pegel / <i>tweeter level</i>	Wirkung / <i>effect</i>
- 2 dB / 0 dB / + 2 dB	3-stufige individuelle Hochton-Anpassung über verschiedene Anschlusskabel <i>3-step individual tweeter adjustment by various wiring connection</i>
Tief-Mitteltöner Klang (direct am Kabelanschluss) <i>Midwoofer characteristic</i> (directly at the terminal)	Wirkung / <i>effect</i>
Low	Linearer Frequenzgang bei direkter Ausrichtung des Tief-Mitteltöners <i>Linear frequency response for direct speaker alignment to the listening position</i>
High	Anhebung mittlerer Frequenzen bei indirekter Ausrichtung des Tief-Mitteltöners <i>Increased midrange level for listening position (far) off-axis</i>

Anschluss des Hochtöners / tweeter connection



Anschluss des Tief-Mitteltöners/ midwoofer connection

