



0 (800) 800 130
(050) 462 0 130
(063) 462 0 130
(067) 462 0 130

130
COM.UA

Internet store of autogoods



km-130

CAR RECEIVERS — Receivers • Media receivers and stations • Native receivers • CD/DVD changers • FM-modulators/USB adapters • Flash memory • Face plates and adapters • Antennas • Accessories | CAR AUDIO — Car audio speakers • Amplifiers • Subwoofers • Processors • Crossovers • Headphones • Accessories | TRIP COMPUTERS — Universal computers • Model computers • Accessories | GPS NAVIGATORS — Portable GPS • Built-in GPS • GPS modules • GPS trackers • Antennas for GPS navigators • Accessories | VIDEO — DVR • TV sets and monitors • Car TV tuners • Cameras • Videomodules • Transcoders • Car TV antennas • Accessories | SECURITY SYSTEMS — Car alarms • Bike alarms • Mechanical blockers • Immobilizers • Sensors • Accessories | OPTIC AND LIGHT — Xenon • Bixenon • Lamps • LED • Stroboscopes • Optic and Headlights • Washers • Light, rain sensors • Accessories | PARKTRONICS AND MIRRORS — Rear parktronic • Front parktronic • Combined parktronic • Rear-view mirrors • Accessories | HEATING AND COOLING — Seat heaters • Mirrors heaters • Screen-wipers heaters • Engine heaters • Auto-refrigerators • Air conditioning units • Accessories | TUNING — Vibro-isolation • Noise-isolation • Tint films • Accessories | ACCESSORIES — Radar-detectors • Handsfree, Bluetooth • Windowlifters • Compressors • Beeps, loudspeakers • Measuring instruments • Cleaners • Carsits • Miscellaneous | MOUNTING — Installation kits • Upholstery • Grilles • Tubes • Cable and wire • Tools • Miscellaneous | POWER — Batteries • Converters • Start-charging equipment • Capacitors • Accessories | MARINE AUDIO AND ELECTRONICS — Marine receivers • Marine audio speakers • Marine subwoofers • Marine amplifiers • Accessories | CAR CARE PRODUCTS — Additives • Washer fluid • Care accessories • Car polish • Flavors • Adhesives and sealants | LIQUID AND OIL — Motor oil • Transmission oil • Brake fluid • Antifreeze • Technical lubricant



In store "130" you can find and buy almost all necessary goods for your auto in Kyiv and other cities, delivery by ground and postal services. Our experienced consultants will provide you with exhaustive information and help you to chose the very particular thing. We are waiting for you at the address

<https://130.com.ua>

Garantie- und Gewährleistungsbestimmungen

Die Gewährleistung entspricht der gesetzlichen Regelung. Eine Rücksendung kann nur nach vorheriger Absprache und in der Originalverpackung erfolgen. Bitte unbedingt einen maschinell erstellten Kaufbeleg und eine Fehlerbeschreibung beilegen. Von der Gewährleistung ausgeschlossen sind Defekte, die durch Überlastung, unsachgemäße Behandlung oder bei Teilnahme an Wettbewerben entstanden sind. Wir behalten uns das Recht vor, zukünftig nötige Änderungen oder Verbesserungen an dem Produkt vorzunehmen ohne den Kunden darüber zu informieren.

Terms of warranty

The limited warranty for this product is covered by Ground Zero's local distribution partners and their terms and conditions. For further information contact your local retailer or distributor.

Ground Zero GmbH

Erlenweg 25, 85658 Eggenstein, Germany

Tel. +49 (0)8095/873 830 Fax -8310

www.ground-zero-audio.com



TITANIUM-SERIES COAX SPEAKER

ANLEITUNG / OWNER'S MANUAL

GZTF 10

GZTF 13

GZTF 16

GZTF 69

Spezifikationen / Specifications

- Hochwertiger Coax Lautsprecher mit HQPP-Struktur Membrane
 - Resonanzarmer Stahlkorb
 - Effiziente 3 Ohm Schwingspule
 - 13mm Mylar Hochtöner mit Überlastschutz
 - 55mm Mylar Mitteltöner mit Überlastschutz (GZTF 69)
-
- o High quality coax speaker with HQPP-Structure cone
 - o Resonance free steel basket
 - o Efficient 3 Ohm voice coil
 - o 0.51" Mylar-tweeter with overload protection
 - o 2.17" Mylar-midrange with overload protection (GZTF 69)

Technische Daten / Specifications

Model	GZTF 10	GZTF 13	GZTF 16	GZTF 69
Durchmesser / Diameter	10 cm 4"	13 cm 5.25"	16,5 cm 6.5"	15 x 23 cm 6" x 9"
Typ / Type	2-Wege / 2-Way Coax	2-Wege / 2-Way Coax	2-Wege / 2-Way Coax	3 Wege / 3-Way Coax
Impedanz / Impedance	3 Ω	3 Ω	3 Ω	3 Ω
Frequenzgang / Frequency response	70Hz-22Khz	60Hz-22kHz	50Hz-22kHz	40Hz-22Khz
Power RMS / Max	70 / 100	80 / 110	90 / 130	130 / 190
SPL	90 dB	90 dB	91 dB	92 dB
Einbaudurchmesser / Mounting diameter	93 mm / 3.66"	117.5 mm / 4.63"	143.5 mm / 5.65"	214 mm x 152 mm / 8.4" x 5.98"
Einbautiefe / Mounting Depth	51 mm / 2.01"	62 mm / 2.44"	67 mm / 2.64"	85 mm / 3.35"

Installation

