



PHONES

0 (800) 800 130  
(050) 462 0 130  
(063) 462 0 130  
(067) 462 0 130

130  
COM.UA

Internet store of  
autogoods



SKYPE

km-130

CAR RECEIVERS — Receivers • Media receivers and stations • Native receivers • CD/DVD changers • FM-modulators/USB adapters • Flash memory • Facia plates and adapters • Antennas • Accessories |  
 CAR AUDIO — Car audio speakers • Amplifiers • Subwoofers • Processors • Crossovers • Headphones • Accessories | TRIP COMPUTERS — Universal computers • Model computers • Accessories |  
 GPS NAVIGATORS — Portable GPS • Built-in GPS • GPS modules • GPS trackers • Antennas for GPS navigators • Accessories | VIDEO — DVR • TV sets and monitors • Car TV tuners • Cameras • Videomodules  
 • Transcoders • Car TV antennas • Accessories | SECURITY SYSTEMS — Car alarms • Bike alarms • Mechanical blockers • Immobilizers • Sensors • Accessories | OPTIC AND LIGHT — Xenon • Bixenon • Lamps  
 • LED • Stroboscopes • Optic and Headlights • Washers • Light, rain sensors • Accessories | PARKTRONICS AND MIRRORS — Rear parktronic • Front parktronic • Combined parktronic • Rear-view mirrors  
 • Accessories | HEATING AND COOLING — Seat heaters • Mirrors heaters • Screen-wipers heaters • Engine heaters • Auto-refrigerators • Air conditioning units • Accessories | TUNING — Vibro-isolation  
 • Noise-isolation • Tint films • Accessories | ACCESSORIES — Radar-detectors • Handsfree, Bluetooth • Windowlifters • Compressors • Beeps, loudspeakers • Measuring instruments • Cleaners • Car seats  
 • Miscellaneous | MOUNTING — Installation kits • Upholstery • Grilles • Tubes • Cable and wire • Tools • Miscellaneous | POWER — Batteries • Converters • Start-charging equipment • Capacitors  
 • Accessories | MARINE AUDIO AND ELECTRONICS — Marine receivers • Marine audio speakers • Marine subwoofers • Marine amplifiers • Accessories | CAR CARE PRODUCTS — Additives • Washer fluid •  
 Care accessories • Car polish • Flavors • Adhesives and sealants | LIQUID AND OIL — Motor oil • Transmission oil • Brake fluid • Antifreeze • Technical lubricant



In store "130" you can find and buy almost all necessary goods for your auto in Kyiv and other cities, delivery by ground and postal services. Our experienced consultants will provide you with exhaustive information and help you to choose the very particular thing. We are waiting for you at the address

<https://130.com.ua>

# **GROUND ZERO<sup>®</sup>**

**GERMAN ENGINEERING**

## **URANIUM SERIES**

### **Loudspeaker System**

**GZUC 165.3SQ**  
**GZUC 165.3SQ-ACT**

**Owner's Manual**  
(AWV2.0)

**English**

## Introduction

Thank you for choosing a GROUND ZERO product and welcome to your new URANIUM series loudspeaker!

This is the owner's manual providing instructions on the operation and installation of this loudspeaker system. Please, read it carefully. If you have any further questions, please contact your local GROUND ZERO dealer or our regional distribution partner.

The loudspeaker system is one of the most important parts of your car audio system. However, it will only be able to deliver its full performance when each part of the whole system is tuned carefully matching each other. Therefore, we recommend consulting a car audio specialist to compile the desired sound system, as well as for installation and tuning.

We hope you will enjoy the sound quality of an enthusiastic development by the GROUND ZERO engineering team!

## URANIUM Series – Amazing Sound Quality

Products belonging to the GROUND ZERO URANIUM series stand for high-end sound quality or extreme power handling capability.

Each product of the URANIUM line-up has been developed carefully to fulfill the demands of music enthusiasts with high audiophile expectations at a reasonable price level. Applying all of Ground Zero's sound quality competition experience while tuning the product details carefully, results in emotional and amazing audio reproduction. The distinguished amplifiers point out the main purpose by their designation: SQ beyond the average!

GZUC 165.3SQ/SQ-ACT is a loudspeaker system of the new URANIUM series, delivering an outstanding sound performance.

## Terms of Warranty

The limited warranty for this product is covered by GROUND ZERO's regional distribution partners and their terms and conditions. For further information contact your local retailer or regional distributor.

## General installation note

- Never drill a hole to the vehicle's gas tank or brake lines, to wirings or any other important vehicle parts!
- Never pass wires over sharp edges or vehicle parts due avoid any kind of damage
- Keep the wiring away from the antenna and electronic devices contributing to radio reception
- Lay the power supply wiring always separated from speaker wiring to avoid disturbance

## **URANIUM SERIES**

Loudspeaker System

**GZUC 165.3SQ**

**GZUC 165.3SQ-ACT**

### Features

- 3-way SQ component loudspeaker system
- Klippel<sup>®</sup> optimized 165 mm / 6.5" midwoofer
- Black anodized aluminum cone
- GZ design aluminum cast basket
- High-efficient, linearized neodymium motor
- Durable rubber surround
- Gold plated terminals
- 55 mm / 2.17" SQ silk dome midrange
- 28 mm / 1.1" SQ silk dome tweeter with flush mount housing
- Variable 12 dB/oct crossover (not for ACT model) with level adjustment and 2-way semi-active option
- GZ design hexagon style protection grill

# GROUND ZERO GZUC 165.3SQ / SQ-ACT

## Specifications

<b>Model</b>	<b>GZUC 165.3SQ</b>
<b>Speaker type</b>	165 mm / 6.5" 3-way loudspeaker system incl. crossover
<b>Impedance (nominal)</b>	4 ohms
<b>Frequency response</b>	40 Hz – 25 kHz
<b>High pass filter</b>	4500 Hz @ 12 dB/oct.
<b>Band pass filter</b>	HP: 450 Hz @ 12 dB/oct. / LP: 4500 Hz @ 12 dB/oct.
<b>Low pass filter</b>	450 Hz @ 12 dB/oct. (jumper in OFF position: 6 dB/oct.)
<b>Power handling (RMS)</b>	160 Watts
<b>Power handling (max.)</b>	250 Watts

<b>Model</b>	<b>GZUC 165.3SQ-ACT</b>
	165 mm / 6.5" 3-way loudspeaker system for active application

<b>Model</b>	<b>GZUT 28SQ</b>
<b>Diameter (nominal)</b>	28 mm / 1.1"
<b>Housing</b>	Plastic
<b>Dome</b>	Coated silk
<b>Voice Coil</b>	28 mm / 1.1" copper
<b>Motor</b>	Neodymium magnet
<b>Impedance</b>	4 ohms
<b>Frequency response</b>	2500 Hz – 25 kHz
<b>Power handling</b>	80 Watts RMS 130 Watts max. (12 dB/oct HPF @ 3 kHz)
<b>Resonance frequency</b>	1300 Hz
<b>Efficiency (SPL)</b>	90 dB

<b>Model</b>	<b>GZUK 165SQ</b>
<b>Diameter (nominal)</b>	165 mm / 6.5"
<b>Basket</b>	Aluminum cast
<b>Cone</b>	Anodized aluminum
<b>Voice coil</b>	50 mm / 2" copper
<b>Motor</b>	Neodymium magnet
<b>Impedance (nominal)</b>	4 ohms
<b>Frequency response</b>	40 Hz – 3.5 kHz
<b>Power handling</b>	120 Watts RMS 180 Watts max. (60 Hz HPF @ 12dB/oct)
<b>Resonance frequency</b>	54.6 Hz
<b>Efficiency (SPL)</b>	87 dB
<b>R<sub>e</sub></b>	3.2 ohms
<b>Q<sub>ms</sub></b>	3.87
<b>Q<sub>es</sub></b>	0.77
<b>Q<sub>ts</sub></b>	0.64
<b>V<sub>as</sub></b>	12.6 L
<b>M<sub>ms</sub></b>	16.3 g
<b>B<sub>L</sub></b>	4.84 N/A
<b>R<sub>ms</sub></b>	1.44 kg/s
<b>C<sub>ms</sub></b>	0.52 mm/N
<b>L<sub>e</sub></b>	0.17 mH
<b>X<sub>max</sub> (excursion)</b>	12 mm / 0.47" (p2p)

<b>Model</b>	<b>GZUM 55SQ</b>
<b>Diameter (nominal)</b>	55 mm / 2.17"
<b>Dome</b>	Coated silk
<b>Voice Coil</b>	55 mm / 2.17" copper
<b>Motor</b>	Neodymium magnet
<b>Impedance</b>	4 ohms
<b>Frequency response</b>	500 Hz – 11 kHz
<b>Power handling</b>	90 Watts RMS 150 Watts max. (12 dB/oct HPF @ 600 Hz)
<b>Resonance frequency</b>	353 Hz
<b>Efficiency (SPL)</b>	88 dB


<b>GZUT 28SQ</b>	
Outer diameter	54 mm / 2.13"
Mounting diameter	48 mm / 1.89"
Mounting depth	18 mm / 0.71"

<b>GZUM 55SQ</b>	
Outer diameter	90 mm / 3.54"
Mounting diameter	69 mm / 2.72"
Mounting depth	33 mm / 1.30"

<b>GZUX 165.3SQ</b> (w x h x d)	85 x 42 x 140mm / 3.35 x 1.65 x 5.51"
------------------------------------	---------------------------------------

GROUND ZERO GZUC 165.3SQ / SQ-ACT

GZUT 28SQ / GZUM 55SQ Dimensions



GZUK 165SQ Dimensions




Crossover Setup (not for ACT model)

<p>Diagram of the crossover setup. It shows a tweeter section with level adjustment jumpers for +2 dB, 0 dB, and -2 dB. A midrange section with a level adjustment jumper. A woofer section with level adjustment jumpers for -2 dB, 0 dB, and +1 dB. There are also ON/OFF jumpers for the midrange (MID) and woofer (WF) sections. Connection terminals are labeled IN-, IN+, WF-, WF+, MID-, MID+, TW-, TW+.</p>	<p>Tweeter level adjustment: The tweeter level can be set by positioning the jumper to the required level position</p> <p>Midrange level adjustment: The midrange level can be set by positioning the jumper to the required level position</p> <p>Semi-active use  <b>IMPORTANT!</b> If the midwoofer is connected to a separate amplifier the midwoofer section <b>must be de-activated</b> to use the crossover for midrange and tweeter only. Set the WF jumper to the OFF position</p>
<p>IN                  TW OUT                  MID OUT                  WF OUT</p>	<p>Input from head unit / amplifier                  Tweeter connector                  Midrange connector                  Kickwoofer connector</p>


# GROUND ZERO GZUC 165.3SQ / SQ-ACT

## GZUC 165.3SQ Wiring



## GZUC 165.3SQ Semi-active wiring\*

4-channel amplifier with integrated active crossover



## GZUC 165.3SQ-ACT Wiring (example)



## Noise damping – Essential basis for high-quality sound experience

Simple or thin surfaces and panels of the car's body and in the vehicle's interior tend by stimulation to vibrations, in particular by vibrations that arise while driving or when playing music with the speaker cones. In order to reduce the resulting booming, the natural resonance, means the frequency at which these surfaces resonate particularly strongly, must be reduced. For this purpose, the insulation of aluminum-butyl requires the largest possible mass. For this purpose, GROUND ZERO offers materials with different properties and basis weight. In addition, the GROUND ZERO range offers other products, such as self-adhesive aluminum plates or sound-absorbing foam mats, which improve the result even more. The bonding of these materials drastically changes the tendency of body parts to oscillate, which significantly reduces the unwanted noise level. A complete door damping set is available with GZDM DOORKIT PRO.

Essential door damping is available as GZDM DOORKIT PRO





## Respect the Music



Listening to music can be emotional, impressive, relaxing or enjoyable. At that, it doesn't really matter what kind of music is the personal favorite, whether it's Instrumental, Jazz, Electro, Latin, Classic, Rock or any other music direction. However, audio reproduction quality at each desired volume is elementary. Some music styles require higher levels while others prefer the soft tones. GROUND ZERO considers all the different wishes of customers during the development of new products. Along with this, the target is to create the most realistic sound, to transfer the soul of the music and the intention of the performer. Summarized to one phrase: RESPECT THE MUSIC!

## Safety instructions

**Safety instructions:** Keep all parts of the content and the packaging away from children and pets to avoid accidents and the risk of suffocation. Permanently extreme levels of over 85 dB can lead to irreparable damage to the hearing. Music systems with high amplifier output power can reach levels of 130 dB or more. Extreme levels can also hinder the perception of important traffic noises and distract from what is happening on the road. Ground Zero GmbH and its sales partners expressly assume no responsibility for hearing damage, physical damage or any damage to property or consequential damage resulting from improper or careless use or improper installation of its products. In particular, any claims are forfeited through the use under competitive conditions.

**Manufacturer's declaration:** Hereby, Ground Zero GmbH declares that this product conforms to the rules of the following EU directives (including all applicable changes): 2011/65 / EU RoHS2 and 2001/95 / EC directive on general product safety. The full text of the EU declaration of conformity is available at [www.ground-zero-audio.com](http://www.ground-zero-audio.com). Loudspeakers contain magnetized metals and some valuable raw materials and must not be disposed of with normal household waste. Please leave defective or no longer required components to a local recycling facility at the end of their practical use.



GROUND ZERO products are engineered in Germany  
GROUND ZERO - international sponsor of



## Ground Zero GmbH

Erlenweg 25, 85658 Egming, Germany

Tel. +49 (0)8095/873-830

[www.ground-zero-audio.com](http://www.ground-zero-audio.com)

