



PHONES

0 (800) 800 130
(050) 462 0 130
(063) 462 0 130
(067) 462 0 130

130
COM.UA

Internet store of
autogoods



SKYPE


km-130

CAR RECEIVERS — Receivers • Media receivers and stations • Native receivers • CD/DVD changers • FM-modulators/USB adapters • Flash memory • Facia plates and adapters • Antennas • Accessories |
CAR AUDIO — Car audio speakers • Amplifiers • Subwoofers • Processors • Crossovers • Headphones • Accessories | TRIP COMPUTERS — Universal computers • Model computers • Accessories |
GPS NAVIGATORS — Portable GPS • Built-in GPS • GPS modules • GPS trackers • Antennas for GPS navigators • Accessories | VIDEO — DVR • TV sets and monitors • Car TV tuners • Cameras • Videomodules
• Transcoders • Car TV antennas • Accessories | SECURITY SYSTEMS — Car alarms • Bike alarms • Mechanical blockers • Immobilizers • Sensors • Accessories | OPTIC AND LIGHT — Xenon • Bixenon • Lamps
• LED • Stroboscopes • Optic and Headlights • Washers • Light, rain sensors • Accessories | PARKTRONICS AND MIRRORS — Rear parktronic • Front parktronic • Combined parktronic • Rear-view mirrors
• Accessories | HEATING AND COOLING — Seat heaters • Mirrors heaters • Screen-wipers heaters • Engine heaters • Auto-refrigerators • Air conditioning units • Accessories | TUNING — Vibro-isolation
• Noise-isolation • Tint films • Accessories | ACCESSORIES — Radar-detectors • Handsfree, Bluetooth • Windowlifters • Compressors • Beeps, loudspeakers • Measuring instruments • Cleaners • Car seats
• Miscellaneous | MOUNTING — Installation kits • Upholstery • Grilles • Tubes • Cable and wire • Tools • Miscellaneous | POWER — Batteries • Converters • Start-charging equipment • Capacitors
• Accessories | MARINE AUDIO AND ELECTRONICS — Marine receivers • Marine audio speakers • Marine subwoofers • Marine amplifiers • Accessories | CAR CARE PRODUCTS — Additives • Washer fluid •
Care accessories • Car polish • Flavors • Adhesives and sealants | LIQUID AND OIL — Motor oil • Transmission oil • Brake fluid • Antifreeze • Technical lubricant



In store "130" you can find and buy almost all necessary goods for your auto in Kyiv and other cities, delivery by ground and postal services. Our experienced consultants will provide you with exhaustive information and help you to choose the very particular thing. We are waiting for you at the address


<https://130.com.ua>



INSTALLATION MANUAL
EINBAUANLEITUNG
GUIDE D'INSTALLATION
MANUAL DE INSTALACIÓN
MONTAGEANLEIDUNG
INSTALLAZIONE MANUALE
INSTALLATIONSMANUAL
INSTALLATIONSVFLEHRUNG
ASENSUŠOJIE
取付説明書
安裝手冊
PYKOBODACTBO
ПО
УСТАНОВКЕ
PODRĘCZNIK INSTALACJI
MANUAL DE INSTALAÇÃO
安裝手冊
KURULUM KILAVUZU



GX302, GX402



SPECIFICATIONS										
Type	Continuous power handling	Peak power handling	Frequency response	Impedance	Sensitivity (2.5V/1m)	External diameter	Mounting cutout diameter	Total depth		
QX302	4" (100mm) two-way speaker	35W	75W	90Hz - 20kHz	2.3 ohms	90dB	3-9/16" (89mm)	2-19/32" (60mm)	1-7/16" (30mm)	Mounting depth
	3" two-way speaker	30W	75W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	2-19/32" (60mm)	1-7/8" (47mm)	
	2" two-way speaker	25W	75W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	2-19/32" (60mm)	2-1/4" (67mm)	
	1" two-way speaker	15W	75W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	2-19/32" (60mm)	2-1/8" (74mm)	
	5/16" (8mm) two-way speaker	45W	180W	50Hz - 21kHz	2.3 ohms	91dB	6-1/2" (165mm)	4-3/4" (120mm)	2-7/8" (74mm)	
QX502	6-1/2" (165 mm) two-way speaker	100W	180W	75Hz - 21kHz	2.3 ohms	91dB	3-7/8" (100mm)	2-7/8" (74mm)	2-1/8" (52mm)	
	4" two-way speaker	60W	120W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	2-7/8" (74mm)	2-1/2" (67mm)	
	3" two-way speaker	40W	120W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	2-7/8" (74mm)	2-1/2" (67mm)	
	2" two-way speaker	30W	120W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	2-7/8" (74mm)	2-1/2" (67mm)	
	1" two-way speaker	15W	120W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	2-7/8" (74mm)	2-1/2" (67mm)	
QX642	5" x 7-1/8" x 1-1/2" two-way speaker	100W	180W	75Hz - 21kHz	2.3 ohms	91dB	4-1/8" (104mm)	3-7/16" x 5-3/4" (109mm x 145mm)	1-7/2" (67mm)	
	4" two-way speaker	60W	120W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	3-7/16" x 5-3/4" (109mm x 145mm)	1-7/2" (67mm)	
	3" two-way speaker	40W	120W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	3-7/16" x 5-3/4" (109mm x 145mm)	1-7/2" (67mm)	
	2" two-way speaker	30W	120W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	3-7/16" x 5-3/4" (109mm x 145mm)	1-7/2" (67mm)	
	1" two-way speaker	15W	120W	75Hz - 21kHz	2.3 ohms	90dB	4-1/8" (104mm)	3-7/16" x 5-3/4" (109mm x 145mm)	1-7/2" (67mm)	
QX962	6" x 9" three-way speaker	150W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
	4" two-way speaker	100W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
	3" two-way speaker	70W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
	2" two-way speaker	45W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
	1" two-way speaker	25W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
QX963	6" x 9" three-way speaker	150W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
	4" two-way speaker	100W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
	3" two-way speaker	70W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
	2" two-way speaker	45W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
	1" two-way speaker	25W	300W	45Hz - 21kHz	2.3 ohms	94dB	6-1/2" (165mm)	5-15/16" x 8-3/4" (150mm x 224mm)	2-1/8" (51mm)	
QX600C	6-1/2" (165mm) two-way	100W	210W	50Hz - 21kHz	2.3 ohms	90dB	6-1/4" (158mm)	2-5/8" (66mm)	1-1/8" (32mm)	
	4" two-way	60W	210W	50Hz - 21kHz	2.3 ohms	90dB	6-1/4" (158mm)	2-5/8" (66mm)	1-1/8" (32mm)	
	3" two-way	40W	210W	50Hz - 21kHz	2.3 ohms	90dB	6-1/4" (158mm)	2-5/8" (66mm)	1-1/8" (32mm)	
	2" two-way	30W	210W	50Hz - 21kHz	2.3 ohms	90dB	6-1/4" (158mm)	2-5/8" (66mm)	1-1/8" (32mm)	
	1" two-way	15W	210W	50Hz - 21kHz	2.3 ohms	90dB	6-1/4" (158mm)	2-5/8" (66mm)	1-1/8" (32mm)	

0"[illegible]