



PHONES

0 (800) 800 130  
(050) 462 0 130  
(063) 462 0 130  
(067) 462 0 130

130  
COM.UA

Internet store of  
autogoods



SKYPE

km-130

CAR RECEIVERS — Receivers • Media receivers and stations • Native receivers • CD/DVD changers • FM-modulators/USB adapters • Flash memory • Facia plates and adapters • Antennas • Accessories |  
CAR AUDIO — Car audio speakers • Amplifiers • Subwoofers • Processors • Crossovers • Headphones • Accessories | TRIP COMPUTERS — Universal computers • Model computers • Accessories |  
GPS NAVIGATORS — Portable GPS • Built-in GPS • GPS modules • GPS trackers • Antennas for GPS navigators • Accessories | VIDEO — DVR • TV sets and monitors • Car TV tuners • Cameras • Videomodules  
• Transcoders • Car TV antennas • Accessories | SECURITY SYSTEMS — Car alarms • Bike alarms • Mechanical blockers • Immobilizers • Sensors • Accessories | OPTIC AND LIGHT — Xenon • Bixenon • Lamps  
• LED • Stroboscopes • Optic and Headlights • Washers • Light, rain sensors • Accessories | PARKTRONICS AND MIRRORS — Rear parktronic • Front parktronic • Combined parktronic • Rear-view mirrors  
• Accessories | HEATING AND COOLING — Seat heaters • Mirrors heaters • Screen-wipers heaters • Engine heaters • Auto-refrigerators • Air conditioning units • Accessories | TUNING — Vibro-isolation  
• Noise-isolation • Tint films • Accessories | ACCESSORIES — Radar-detectors • Handsfree, Bluetooth • Windowlifters • Compressors • Beeps, loudspeakers • Measuring instruments • Cleaners • Car seats  
• Miscellaneous | MOUNTING — Installation kits • Upholstery • Grilles • Tubes • Cable and wire • Tools • Miscellaneous | POWER — Batteries • Converters • Start-charging equipment • Capacitors  
• Accessories | MARINE AUDIO AND ELECTRONICS — Marine receivers • Marine audio speakers • Marine subwoofers • Marine amplifiers • Accessories | CAR CARE PRODUCTS — Additives • Washer fluid •  
Care accessories • Car polish • Flavors • Adhesives and sealants | LIQUID AND OIL — Motor oil • Transmission oil • Brake fluid • Antifreeze • Technical lubricant



In store "130" you can find and buy almost all necessary goods for your auto in Kyiv and other cities, delivery by ground and postal services. Our experienced consultants will provide you with exhaustive information and help you to chose the very particular thing. We are waiting for you at the address

<https://130.com.ua>




# Installation manual

STAGE3 607C  
STAGE3 607CF  
STAGE3 427  
STAGE3 427F  
STAGE3 527





STAGE3 527F  
STAGE3 627  
STAGE3 627F  
STAGE3 637F  
STAGE3 6427  
Autogoods "130"

STAGE3 8627  
STAGE3 9637  
STAGE3 9637F

# STAGE3 607C




Autogoods "130"








Autogoods "130"





Autogoods "130"



Autogoods "130"

## Specification


- Type: 6-1/2" (165mm) 2-way component system car speaker
- Power Handling: 50W RMS, 250W (Peak)
- Sensitivity (@2.83V/1m): 92dB
- Frequency Response: 55Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters

- BL (Tm): 3.316
- DCR (ohms): 2.45
- Mms (g): 14.017
- Sd (cm<sup>2</sup>): 138.93
- Cms (μm/N): 0.316
- Vas (l): 8.6375
- Fs (Hz): 75.6
- Qes: 1.482
- Qms: 11.842
- Qts: 1.317
- Crossover Point: 5kHz





Autogoods "130"

# STAGE3 607CF




Autogoods "130"









Autogoods "130"



Autogoods "130"



Autogoods "130"

## Specification





- Type: 6-1/2" (165mm) 2-way component system car speaker for factory upgrade without grille
- Power Handling: 50W RMS, 250W (Peak)
- Sensitivity (@2.83V/1m): 92dB
- Frequency Response: 55Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters


- BL (Tm): 3.316
- DCR (ohms): 2.45
- Mms (g): 14.017
- Sd (cm<sup>2</sup>): 138.93
- Cms (μm/N): 0.316
- Vas (l): 8.6375
- Fs (Hz): 75.6
- Qes: 1.482
- Qms: 11.842
- Qts: 1.317
- Crossover Point: 5kHz

Autogoods "130"

# STAGE3 427



Autogoods "130"



Autogoods "130"

## Specification





- Type: 4" (100mm) 2-way coaxial car speaker
- Power Handling: 30W RMS, 150W (Peak)
- Sensitivity (@2.83V/1m): 90dB
- Frequency Response: 75Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters

- BL (Tm): 2.467
- DCR (ohms): 2.74
- Mms (g): 5.501
- Sd (cm<sup>2</sup>): 63.62
- Cms (μm/N): 0.387
- Vas (l): 2.2146
- Fs (Hz): 109.1
- Qes: 1.698
- Qms: 12.973
- Qts: 1.501
- Crossover Point: 7kHz


Autogoods "130"

# STAGE3 427F



Autogoods "130"





Autogoods "130"

## Specification





- Type: 4" (100mm) 2-way coaxial car speaker for factory upgrade without grille
- Power Handling: 30W RMS, 150W (Peak)
- Sensitivity (@2.83V/1m): 90 dB
- Frequency Response: 75Hz - 20kHz
- Impedance: 3 ohms

## Thiele-Small Parameters


- BL (Tm): 2.467
- DCR (ohms): 2.74
- Mms (g): 5.501
- Sd (cm<sup>2</sup>): 63.62
- Cms (μm/N): 0.387
- Vas (l): 2.2146
- Fs (Hz): 109.1
- Qes: 1.698
- Qms: 12.973
- Qts: 1.501
- Crossover Point: 7kHz

Autogoods "130"

# STAGE3 527



Autogoods "130"



Autogoods "130"

## Specification



- Type: 5-1/4" (130mm) 2-way coaxial car speaker
- Power Handling: 40W RMS, 200W (Peak)
- Sensitivity (@2.83V/1m): 91dB
- Frequency Response: 75Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters



- BL (Tm): 3.148
- DCR (ohms): 2.61
- Mms (g): 9.81
- Sd (cm<sup>2</sup>): 102.07
- Cms (μm/N): 0.281
- Vas (l): 4.1374
- Fs (Hz): 95.9
- Qes: 1.555
- Qms: 13.546
- Qts: 1.395
- Crossover Point: 6kHz


Autogoods "130"

# STAGE3 527F



Autogoods "130"





Autogoods "130"

## Specification

- Type: 5-1/4" (130mm) 2-way coaxial car speaker for factory upgrade without grille
- Power Handling: 40W RMS, 200W (Peak)
- Sensitivity (@2.83V/1m): 91dB
- Frequency Response: 75Hz - 20kHz
- Impedance: 3ohms





## Thiele-Small Parameters

- BL (Tm): 3.148
- DCR (ohms): 2.61
- Mms (g): 9.81
- Sd (cm<sup>2</sup>): 102.07
- Cms (μm/N): 0.281
- Vas (l): 4.1374
- Fs (Hz): 95.9
- Qes: 1.555
- Qms: 13.546
- Qts: 1.395
- Crossover Point: 6kHz


Autogoods "130"



# STAGE3 627



Autogoods "130"



Autogoods "130"

## Specification



- Type: 6-1/2" (160mm) 2-way coaxial car speaker
- Power Handling: 45W RMS, 225W (Peak)
- Sensitivity (@2.83V/1m): 92dB
- Frequency Response: 55Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters



- BL (Tm): 3.347
- DCR (ohms): 2.43
- Mms (g): 13.661
- Sd (cm<sup>2</sup>): 138.93
- Cms (μm/N): 0.339
- Vas (l): 9.2635
- Fs (Hz): 73.9
- Qes: 1.377
- Qms: 13.148
- Qts: 1.246
- Crossover Point: 5kHz


Autogoods "130"

# STAGE3 627F



Autogoods "130"





Autogoods "130"

## Specification



- Type: 6-1/2" (160mm) 2-way coaxial car speaker for factory upgrade without grille
- Power Handling: 45W RMS, 225W (Peak)
- Sensitivity (@2.83V/1m): 92dB
- Frequency Response: 55Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters



- BL (Tm): 3.347
- DCR (ohms): 2.43
- Mms (g): 13.661
- Sd (cm<sup>2</sup>): 138.93
- Cms (μm/N): 0.339
- Vas (l): 9.2635
- Fs (Hz): 73.9
- Qes: 1.377
- Qms: 13.148
- Qts: 1.246
- Crossover Point: 5kHz


Autogoods "130"

# STAGE3 637F



Autogoods "130"





A  
Autogoods "130"



## Specification



- Type: 6-1/2" (165mm) 3-way coaxial car speaker for factory upgrade without grille
- Power Handling: 45W RMS, 225W (Peak)
- Sensitivity (@2.83V/1m): 92dB
- Frequency Response: 55Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters




- BL (Tm): 3.347
- DCR (ohms): 2.43
- Mms (g): 13.661
- Sd (cm<sup>2</sup>): 138.93
- Cms (μm/N): 0.339
- Vas (l): 9.2635
- Fs (Hz): 73.9
- Qes: 1.377
- Qms: 13.148
- Qts: 1.246
- Crossover Point: 5kHz

Autogoods "130"


# STAGE3 6427



Autogoods "130"



Autogoods "130"



Autogoods "130"

## Specification



- Type: 4" x 6" (100mm x 152mm) 2-way coaxial car speaker
- Power Handling: 35W RMS, 175W (Peak)
- Sensitivity (@2.83V/1m): 91dB
- Frequency Response: 75Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters



- BL (Tm): 3.146
- DCR (ohms): 2.36
- Mms (g): 8.151
- Sd (cm<sup>2</sup>): 86.59
- Cms (µm/N): 0.272
- Vas (l): 2.884
- Fs (Hz): 106.9
- Qes: 1.307
- Qms: 13.178
- Qts: 1.189
- Crossover Point: 6kHz



Autogoods "130"

# STAGE3 8627



Autogoods "130"





Autogoods "130"

## Specification

- Type: 6" x 8" (152mm x 203mm) 2-way coaxial car speaker
- Power Handling: 50W RMS, 250W (Peak)
- Sensitivity (@2.83V/1m): 93dB
- Frequency Response: 65Hz - 20kHz
- Impedance: 3ohms





## Thiele-Small Parameters

- BL (Tm): 3.736
- DCR (ohms): 2.63
- Mms (g): 17.369
- Sd (cm<sup>2</sup>): 176.71
- Cms ( $\mu\text{m/N}$ ): 0.396
- Vas (l): 7.7316
- Fs (Hz): 60.7
- Qes: 1.25
- Qms: 11.955
- Qts: 1.132
- Crossover Point: 6kHz


Autogoods "130"



# STAGE3 9637



Autogoods "430"



## Specification



- Type: 6" x 9" (152mm x 230mm) 3-way car speaker
- Power Handling: 75W RMS, 375W (Peak)
- Sensitivity (@2.83V/1m): 93dB
- Frequency Response: 50Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters




- BL (Tm): 3.533
- DCR (ohms): 2.34
- Mms (g): 22.973
- Sd (cm<sup>2</sup>): 237.79
- Cms (μm/N): 0.404
- Vas (l): 32.3563
- Fs (Hz): 52.2
- Qes: 1.413
- Qms: 13.661
- Qts: 1.281
- Crossover Point: 5kHz

Autogoods "130"

# STAGE3 9637F



Autogoods "130"



Autogoods "130"

## Specification

- Type: 6"x9" (152mm x 230mm) 3-way car speaker for factory upgrade without grille
- Power Handling: 75W (RMS), 375W (Peak)
- Sensitivity (@2.83V/1m): 93dB
- Frequency Response: 50Hz - 20kHz
- Impedance: 3ohms

## Thiele-Small Parameters

- BL (Tm): 3.533
- DCR (ohms): 2.34
- Mms (g): 22.973
- Sd (cm<sup>2</sup>): 237.79
- Cms (μm/N): 0.404
- Vas (l): 32.3563
- Fs (Hz): 52.2
- Qes: 1.413
- Qms: 13.661
- Qts: 1.281
- Crossover Point: 5kHz

Autogoods "130"



HARMAN International Industries,  
Incorporated, 8500 Balboa  
Boulevard, Northridge, CA 91329  
USA

© 2018 HARMAN International  
Industries, Incorporated. All

rights reserved. JBL is a trademark of HARMAN International  
Industries, Incorporated, registered in the United States and/or  
other countries.

Features, specifications and appearance are subject to change  
without notice.

**Autogoods "130"**